

## Literatura

- 1.** Branch CH, Buxbaum LJ, Schwobel J. Accurate reaching after active but not passive movements of the hand: evidence for forward modeling. *Behav Neurosci* 2008; 19(3): 117–125.
- 2.** Burks JS, Bigley GK, Hill HH. Rehabilitation challenges in multiple sclerosis. *Ann Indian Acad Neurol.* 2009 Oct; 12(4): 296–306.
- 3.** Carpinella I, Cattaneo D, Bertoni R, Ferrarin M. Robot training of upper limb in multiple sclerosis: comparing protocols with or without manipulative task components. *IEEE Trans Neural Syst Rehabil Eng.* 2012; 20(3): 351–360.
- 4.** Cattaneo D, Jonsdottir J, Zocchi M, Regola A. Effects of balance exercises on people with multiple sclerosis: a pilot study. *Clin Rehabil* 2007; 21(9): 771–781.
- 5.** Dalgas U, Stenager E, Ingemann-Hansen T. Review: multiple sclerosis and physical exercise: recommendations for the application of resistance, endurance and combined training. *Mult Scler* 2008; 14: 35–53.
- 6.** Döring A, Pfeueller CF, Paul F, Dörr J. Exercise in multiple sclerosis – an integral component of disease management. *The EPMA Journal* 2012;3;2; <http://www.epmajournal.com/content/3/1/2>.
- 7.** Havrdová E, Suchá L, Pyciaková L, Černý P, Blahová Dušánková J, Malinová R, Vlková B. Roztroušená skleróza v praxi. Praha 2015: Galén.
- 8.** Hebert JR, Corboy JR, Manago MM, Schenkman M. Effects of vestibular rehabilitation on multiple sclerosis – related fatigue and upright postural control: a randomized Controlled trial. *Physical Therapy* 2011; 91(8): 1166–1183.
- 9.** Chiaravalloti N, De Luca J. Cognitive Impairment in multiple sclerosis. *Lancet Neurol.* 2008; 7(12): 1139–1151.
- 10.** Khan F, Amatya B. Rehabilitation in multiple sclerosis: a systematic review of systematic reviews. *Arch Phys Med Rehabil.* 2016 May 20. pii: S0003-9993(16)30162-9. doi:10.1016/j.apmr.2016.04.016. [Epub ahead of print] Review.
- 11.** Latimer-Cheung AE, Martin Ginis KA, Hicks AL, Motl RW, Pilutti LA, Duggan M, Wheeler G, Persad R, Smith KM. Development of evidence-informed physical activity guidelines for adults with multiple sclerosis. *Arch Phys Med Rehabil.* 2013; 94: 1829–1836.
- 12.** Marsden J, Bunn L, Cassidy E, Kilbride C, Holland A, Watson A. Review of physiotherapy literature in ataxia. *Ataxia UK* 2013. <https://www.ataxia.org.uk/clinical-guidelines> 13. 6. 2016.
- 13.** Motl RW, Douglas SC, Elliott J, Weikert M, Dlugonski D, Sosnoff JJ. Combined training improves walking mobility in persons with significant disability from MS: a pilot study. *J Neurol Phys Ther* 2012; 36(1): 32–37.
- 14.** Motl RW, Sandroff BM. Benefits of exercise training in multiple sclerosis. *Current Neurology And Neuroscience Reports* 2015; 15(9): 62.
- 15.** Pilutti LA, Platta ME, Motl RW, Latimer-Cheung AE. The safety of exercise training in multiple sclerosis: a systematic review. *J Neurol Sci.* 2014 Aug 15; 343(1–2): 3–7.
- 16.** Prosperini L, Piattella M C, Gianni C, Pantano P. Functional and structural brain plasticity enhanced by motor and cognitive rehabilitation in multiple sclerosis. *Neural Plasticity.* 2015; 12.
- 17.** Vlachová M, Dušánková J, Zámečník L. Symptomatologická léčba roztroušené sklerózy. *Neurol. praxi,* 2008; 9(4): 226-231.