

ké fázi onemocnění před plným rozvinutím kognitivních příznaků. Klíčový je pak výběr vhodných a senzitivních testů. Při vyšetření je také důležité věnovat pozornost subjektivním

kognitivním stížnostem pacientů a odlišit je od projevů deprese či úzkosti (Nikolai, 2021), kdy může být nápomocný rozhovor s pacientem a jeho blízkou osobou.

Práce byla podpořena AZV projektem NU20-04-00294 a také projektem LX22NPO5107 (MŠMT): European Union-Next Generation EU.

LITERATURA

- Aarsland D, Batzu L, Halliday GM, et al. Parkinson disease-associated cognitive impairment. *Nat Rev Dis Primers*. 2021;7(1):47.
- Arevalo-Rodriguez I, Smailagic N, Roqué-Figuls M, et al. Mini-Mental State Examination (MMSE) for the early detection of dementia in people with mild cognitive impairment (MCI). *Cochrane Database Syst Rev*. 2021;(7).
- Beek M, Steenoven I, Zande JJ, et al. Prodromal Dementia With Lewy Bodies: Clinical Characterization and Predictors of Progression. *Mov Disord*. 2020;35(5):859-867. doi:10.1002/mds.27997.
- Berron D, Van Westen D, Ossenkuppele R, et al. Medial temporal lobe connectivity and its associations with cognition in early Alzheimer's disease. *Brain*. 2020;143(4):1233-1248. doi:10.1093/brain/awaa068.
- Bezďicek O, Michalec J, Nikolai T, et al. Clinical Validity of the Mattis Dementia Rating Scale in Differentiating Mild Cognitive Impairment in Parkinson's Disease and Normative Data. *Dement Geriatr Cogn Disord*. 2015;39(5-6):303-311. doi:10.1159/000375365.
- Bezďicek O, Sulc Z, Nikolai T, et al. A parsimonious scoring and normative calculator for the Parkinson's disease mild cognitive impairment battery. *Clin Neuropsychol*. 2017;31(6-7):1231-1247. doi:10.1080/13854046.2017.1293161.
- Boccardi M, Monsch AU, Ferrari C, et al. Harmonizing neuropsychological assessment for mild neurocognitive disorders in Europe. *Alzheimer's & dementia*. 2022;18(1):29-42.
- Chopard G, Puyraveau M, Binetruy M, et al. Spectrum effect and spectrum bias in the screening test performance for amnesic mild cognitive impairment: What are the clinical implications? *J Alzheimers Dis*. 2015;48(2):385-393.
- Ciafone J, Thomas A, Durcan R, et al. Neuropsychological Impairments and Their Cognitive Architecture in Mild Cognitive Impairment (MCI) with Lewy Bodies and MCI-Alzheimer's Disease. *J Int Neuropsychol Soc*. 2022;28(9):963-973. doi:10.1017/S1355617721001181.
- Cs  falvay Z, Bajtořova R, Keller J, et al. Primary progressive aphasia. *Cesk Slov Neurol N*. 83/116(3):226-239. doi:10.14735/amcsnn2020226.
- Davis DH, Creavin ST, Yip JL, et al. Montreal Cognitive Assessment for the detection of dementia. *Cochrane Database Syst Rev*. 2021;(7).
- Garcia-Gutierrez F, Delgado-Alvarez A, Delgado-Alonso C, et al. Diagnosis of Alzheimer's disease and behavioural variant frontotemporal dementia with machine learning-aided neuropsychological assessment using feature engineering and genetic algorithms. *Int J Geriatr Psychiatry*. 2022;37(2):gps.5667. doi:10.1002/gps.5667.
- Glosser G, Gallo JL, Clark CM, Grossman M. Memory encoding and retrieval in frontotemporal dementia and Alzheimer's disease. *Neuropsychology*. 2002;16(2):190-196. doi:10.1037/0894-4105.16.2.190.
- Grazia A, Altomare D, Preis L, et al. Feasibility of a standard cognitive assessment in European academic memory clinics. *Alzheimer's & Dementia*. 2023;19(6):2276-86.
- Ismail Z, McGirr A, Gill S, et al. Mild Behavioral Impairment and Subjective Cognitive Decline Predict Cognitive and Functional Decline. *J Alzheimers Dis JAD*. 2021;80(1):459-469. doi:10.3233/JAD-201184.
- Ismail Z, Smith EE, Geda Y, et al. Neuropsychiatric symptoms as early manifestations of emergent dementia: provisional diagnostic criteria for mild behavioral impairment. *Alzheimer's & Dementia*. 2016;12(2):195-202.
- Jack CR, Bennett DA, Blennow K, et al. NIA-AA Research Framework: Toward a biological definition of Alzheimer's disease. *Alzheimers Dement*. 2018;14(4):535-562. doi:10.1016/j.jalz.2018.02.018.
- Kiselica AM, Karr JE, Mikula CM, et al. Recent Advances in Neuropsychological Test Interpretation for Clinical Practice. *Neuropsychology Review*. 2023;1:1-31. doi:10.1007/S11065-023-09596-1.
- Kiselica AM, Webber TA, Bengel JF. Using multivariate base rates of low scores to understand early cognitive declines on the uniform data set 3.0 Neuropsychological Battery. *Neuropsychology*. 2020;34(6):629.
- Kopecek M, Stepankova H, Lukavsky J, et al. Montreal cognitive assessment (MoCA): Normative data for old and very old Czech adults. *Applied Neuropsychology: Adult*. 2017;24(1):23-9.
- Lezak MD, Howieson DB, Bigler ED, et al. *Neuropsychological Assessment*. OUP USA. 2012.
- Marra C, Piccininni C, Masone Iacobucci G, et al. Semantic Memory as an Early Cognitive Marker of Alzheimer's Disease: Role of Category and Phonological Verbal Fluency Tasks. *J Alzheimers Dis*. 2021;81(2):619-627. doi:10.3233/JAD-201452.
- Martini A, Weis L, Schifano R, et al. Differences in cognitive profiles between Lewy body and Parkinson's disease dementia. *J Neural Transm*. 2020;127(3):323-330. doi:10.1007/s00702-019-02129-2.
- Matar E, Ehgoetz Martens KA, Halliday GM, et al. Clinical features of Lewy body dementia: insights into diagnosis and pathophysiology. *J Neurol*. 2020;267(2):380-389. doi:10.1007/s00415-019-09583-8.
- Matuskova V, Ismail Z, Nikolai T, et al. Mild behavioral impairment is associated with atrophy of entorhinal cortex and hippocampus in a memory clinic cohort. *Frontiers in aging neuroscience*. 2021;13:643271.
- McKeith IG, Ferman TJ, Thomas AJ, et al. Research criteria for the diagnosis of prodromal dementia with Lewy bodies. *Neurology*. 2020;94(17):743-755. doi:10.1212/WNL.0000000000009323
- Nikolai T. Neuropsychologicke aspekty preklinickeho a prodromalniho stadia Alzheimerovy nemoci. Published online 2021.
- Nikolai T, Kuřka M, Trnka R. Neuropsychiatricke prznaky a kreativita u neurodegenerativnich onemocneni. *Ceskoslovenska psychologie*. 2020;64(5).
- Petersen RC. Mild cognitive impairment as a diagnostic entity. *J Intern Med*. 2004;256(3):183-194.
- Rascovsky K, Hodges JR, Knopman D, et al. Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. *Brain*. 2011;134(9):2456. doi:10.1093/BRAIN/AWR179.
- Rascovsky K, Salmon D, Hansen L, et al. Distinct cognitive profiles and rates of decline on the Mattis Dementia Rating Scale in autopsy-confirmed frontotemporal dementia and Alzheimer's disease. *J Int Neuropsychol Soc JINS*. 2008;14(3):373-383. doi:10.1017/S135561770808051X.
- Rascovsky K, Salmon DP, Hansen LA, et al. Disparate letter and semantic category fluency deficits in autopsy-confirmed frontotemporal dementia and Alzheimer's disease. *Neuropsychology*. 2007;21(1):20-30. doi:10.1037/0894-4105.21.1.20.
- Rascovsky K, Salmon DP, Ho GJ, et al. Cognitive profiles differ in autopsy-confirmed frontotemporal dementia and AD. *Neurology*. 2002;58(12):1801-1808. doi:10.1212/WNL.58.12.1801.
- Reban J. Montrealsky kognitivnı test (MoCA): prinos k diagnostice predemencı. *es Geriatr Rev*. 2006;4:224-229.
- Rentz DM, Parra Rodriguez MA, Amariglio R, et al. Promising developments in neuropsychological approaches for the detection of preclinical Alzheimer's disease: A selective review. *Alzheimers Res Ther*. 2013;5(6):1-10. doi:10.1186/ALZRT222/FIGURES/5.
- Rusina R, Matej R, Cs  falvay Z, et al. Frontotemporal dementia. *es Slov Neurol Neurochir*. 2021;84/117(1):9-29. doi:10.48095/cccsnn20219.
- řkorvanek M, Goldman JG, Jahanshahi M, et al. Global scales for cognitive screening in Parkinson's disease: Critique and recommendations. *Mov Disord*. 2018;33(2):208-218. doi:10.1002/mds.27233.
- řtepankova H, Nikolai T, Lukavsky J, et al. Mini-mental state examination – eska normativnı studie. *Cesk Slov Neurol N*. 2015;78(111):1.
- Teichmann M, Epelbaum S, Samri D, et al. Free and Cued Selective Reminding Test – accuracy for the differential diagnosis of Alzheimer's and neurodegenerative diseases: a large-scale biomarker-characterized monocenter cohort study (ClinAD). *Alzheimers Dement*. 2017;13(8):913-923. doi:10.1016/j.jalz.2016.12.014.
- Urbanova M, Vyhnalek M, Nikolai T, et al. Validita Testu 16 slov pro diferencalnı diagnostiku demence Alzheimerova typu a behavioralnı formy frontotemporalnı demence. *Cesk Slov Neurol N*. 2014;110(5):576-81.
- Vaughan RM, Coen RF, Kenny R, et al. Semantic and Phonemic Verbal Fluency Discrepancy in Mild Cognitive Impairment: Potential Predictor of Progression to Alzheimer's Disease: Verbal fluency discrepancy in MCI. *J Am Geriatr Soc*. 2018;66(4):755-759. doi:10.1111/jgs.15294.
- Wallace ER, Segerstrom SC, Van Horne CG, et al. Meta-Analysis of Cognition in Parkinson's Disease Mild Cognitive Impairment and Dementia Progression. *Neuropsychol Rev*. 2022;32(1):149-160. doi:10.1007/s11065-021-09502-7.
- Weintraub S, Besser L, Dodge HH, et al. Version 3 of the Alzheimer Disease Centers' neuropsychological test battery in the Uniform Data Set (UDS). *Alzheimer disease and associated disorders*. 2018;32(1):10.